

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

#### SPECIAL ARTICLES

# PERIDERMIUM HARKNESSII AND CRONARTIUM QUERCUUM

INOCULATIONS of Pinus radiata with eciospores of Peridermium harknessii on Pinus radiata made in the spring of 1913 resulted in typical galls during the same year. In the spring of 1915 some of these galls bore ecia of Peridermium harknessii. The check plants remained sound.

The mycelium of Cronartium quercuum on the evergreen Quercus agrifolia overwinters in the old green leaves and in early spring produces sori of uredospores in a circle around the old Cronartium spots; the uredinial sori on the young leaves are the results of infection from the sori on the old leaves. If Peridermium harknessii connects with Cronartium quercuum, we have here a case of facultative heteroecism in both generations.

E. P. MEINECKE

OFFICE OF INVESTIGATIONS IN
FOREST PATHOLOGY,
BUREAU OF PLANT INDUSTRY,
SAN FRANCISCO, CALIF.

# A SIMPLE DEMONSTRATION OF THE REDUCED VAPOR PRESSURE OVER A SOLUTION

W AND S are two small glass crystallizing dishes. W is half filled with water and S with a strong solution of some salt. P is a piece of




plate glass and B is a bell jar. For equilibrium the pressure of the vapor above S would have to be less than that above W. For this reason the water gradually distills from W into S.

This result is so obvious that the experiment has no doubt been carried out before. However in a recent brief examination of the literature of the reduction of vapor pressure by solution I have found no reference to it, although Moser¹ clearly indicates the possibility of such an experiment. In his work he used two U tubes, one for the water and one for the solution. One end of each tube was closed, and the open ends were joined—so that with a connection to an air pump these open ends formed a fork. Moser says:

Das Lumen dieses Gabelrohrs ist eng, ein bis zwei Millimeter, um eine Ueberdestilliren des Dampfes vom Wasser zur Lösung zu erschweren.

In my experiment, which I carried out three years ago, the dishes W and S were about 5 cm. in diameter and S contained a solution of about 1 g. of sodium chloride to each 5 g. of water. Vacuum wax was run around B where it rested on P, but no attempt was made to reduce the air pressure in B. The apparatus stood in a room at ordinary laboratory temperature from January 26 to March 21. At first I set out to examine the rate at which the liquid surfaces changed their levels, but the sides of B were not smooth enough to admit of making through them any readings that were worth while. At the start the levels were about the same, and after somewhat less than two months the surface of the solution was 9.0 mm. higher than that of the water.

ARTHUR TABER JONES

SMITH COLLEGE, January 23, 1915

### THE AMERICAN MATHEMATICAL SO-CIETY

THE twenty-second annual meeting of the society was held at Columbia University on Monday and Tuesday, December 27–28, 1915. Seventy-two members attended the four sessions. President E. W. Brown occupied the chair, being relieved by Professor Edward Kasner. The following new members were elected: Professor W. E. Edington, University of New Mexico; Professor J. L. Gibson, University of Utah; Dr. W. E. Milne, Bowdoin College; Professor L. J. Reed, University of Maine. Nine ap-

1 Wied. An., 14, p. 73, 1881.